







| No | product name | Model | Height (mm) | lighting source | system | Picture |
|----|--------------------|------------|-------------|-----------------|--|---|
| 1 | Solar garden light | ESD-ST615 | 3500 | 2*3.5W-LED | 1)solar panel: 30Wp; 2)Maintenance-free lead acid battery: 12V38Ah; 3) controller: soular special intelligent controller; 4)Body material: Zinc-plated; 5)working time: 8h/day, for 3-5 overcast days; 6)environment temperature: -20°C~ +65°C; |  |
| 2 | Solar garden light | ESD-ST616 | 3500 | 6W-LED | 1)solar panel: 25Wp; 2)Maintenance-free lead acid battery: 12V24Ah; 3) controller: soular special intelligent controller; 4)Body material: Zinc-plated; 5)working time: 8h/day, for 3-5 overcast days; 6)environment temperature: -20°C~ +65°C; |  |
| 3 | Solar garden light | ESD-ST618 | 3500 | 5W-LED | 1)solar panel: 20Wp; 2)Maintenance-free lead acid battery: 12V24Ah; 3)Light source: 5W-LED; 4) controller: soular special intelligent controller; 5)Pole material: stainless steel; 6)working time: 8h/day, for 3-5 overcast days; 7)environment temperature: -20°C~ +65°C |  |
| 4 | Solar garden light | ESD-ST618N | 3500 | 3W-LED | 1)solar panel: 15Wp; 2)Maintenance-free lead acid battery: 12V17Ah; 3)Light source: 3W-LED; 4) controller: soular special intelligent controller; 5)Pole material: stainless steel; 6)working time: 8h/day, for 3-5 overcast days; 7)environment temperature: -20°C~ +65°C |  |

| | | | | | | |
|---|--------------------|------------|------|--------------------|--|---|
| 5 | Solar garden light | ESD-ST630 | 3500 | multicolor LED | <p>1)solar panel:10Wp; 2)Maintenance-free lead acid battery: 12V12Ah; 3) controller:soular special intelligent controller; 4)Body material:stainless steel; 5)working time: 8h/day, for 3-5 overcast days; 6)environment temperature: -20°C~ +65°C;</p> |  |
| 6 | Solar garden light | ESD-ST631 | 3500 | 2*3W-LED | <p>1)solar panel:25Wp; 2)Maintenance-free lead acid battery: 12V24Ah; 3) controller:soular special intelligent controller; 4)Body material:stainless steel; 5)working time: 8h/day, for 3-5 overcast days; 6)environment temperature: -20°C~ +65°C;</p> |  |
| 7 | Solar garden light | ESD-ST637C | 3500 | 3W-LED | <p>1)solar panel:15Wp; 2)Maintenance-free lead acid battery: 12V17Ah; 3) controller:soular special intelligent controller; 4)Body material:stainless steel; 5)working time: 8h/day, for 3-5 overcast days; 6)environment temperature: -20°C~ +65°C;</p> |  |
| 8 | Solar garden light | ESD-ST650 | 3800 | 4W-LED(Multicolor) | <p>1)solar panel:20Wp; 2)Maintenance-free lead acid battery: 12V24Ah; 3) controller:soular special intelligent controller; 4)Body material:stainless steel; 5)working time: 8h/day, for 3-5 overcast days; 6)environment temperature: -20°C~ +65°C;</p> |  |

| | | | | | | |
|----|--------------------|------------|------|----------|--|---|
| 9 | Solar garden light | ESD-ST653 | 3500 | 2.3W-LED | <p>1)solar panel: 10Wp; 2)Maintenance-free lead acid battery: 12V12Ah; 3) controller: solar special intelligent controller; 4)Body material: stainless steel; 5)working time: 8h/day, for 3-5 overcast days; 6)environment temperature: -20°C~ +65°C;</p> |  |
| 10 | Solar garden light | ESD-ST655 | 3500 | 9W-LED | <p>1)solar panel: 40Wp; 2)Maintenance-free lead acid battery: 12V55Ah; 3) controller: solar special intelligent controller; 4)Body material: Zinc-plated; 5)working time: 8h/day, for 3-5 overcast days; 6)environment temperature: -20°C~ +65°C;</p> |  |
| 11 | Solar garden light | ESD-ST656B | 3500 | 7W-LED | <p>1)solar panel: 40Wp; 2)Maintenance-free lead acid battery: 12V65Ah; 3) controller: solar special intelligent controller; 4)Body material: Zinc-plated; 5)working time: 8h/day, for 3-5 overcast days; 6)environment temperature: -20°C~ +65°C;</p> |  |